

Certificates



qua.com.tr

QUA

EXCLUSIVE CATALOG

2026

EXCLUSIVE
CATALOG

QUA

Legend

SURFACE

L

Lappato
Lappato
Lappato
عمال قصن

FL

Full Lappato
Lappato intégral
Voll-Lappato
لمالكاب عمال

M

Matt
Mat
Matt
يفطم

G

Glossy
Brillant
Glänzend
عمال

EDGE

REC

Rectified
Rectifié
Rektifiziert
قعدب عوعوطقم فاوح

NON REC

Non-Rectified
Non rectifié
Nicht rektifiziert
قوعوطقم ريغ فاوح

AREA OF USE

Floor
Sol
Boden
تايفضرا

Wall
Mur
Wand
ناردج

THICKNESS

20MM THICKNESS

20 mm Thickness
Épaisseur 20 mm
Stärke 20 mm
م 20 ؤكامس

SPECIAL

Frost Resistant
Résistant au gel
Frostbeständig
عيفيصلل مواقم

R11

Value R (R11)
Valeur R
R-Wert
R قالزنال اقمواقم ؤميقي

Easy Clean
Facile à nettoyer
Leicht zu reinigen
فيظننلال لهس

INK

Glossy Ink
Encre brillante
Glänzende Tinte
عمال ربح

GRANULE

Granulated
Granulé
Granuliert
يببيح

Technical Information

Technical Properties	QUA Standards	TS EN 14411 Annex - G Group Bla (Eb c% 0,5)	Test Method
Lengt and Width	±%0,4 mm	±%1 mm	TS EN ISO 10545/2
Thickness	±%5,0	±%5,0	TS EN ISO 10545/2
Side Straightness	±%0,2	±%0,5	TS EN ISO 10545/2
Rectangularity	±%0,2	±%0,5	TS EN ISO 10545/2
Center Curvature	±%0,2	±%0,5	TS EN ISO 10545/2
Edge Curvature	±%0,2	±%0,5	TS EN ISO 10545/2
Warpage	±%0,2	±%0,5	TS EN ISO 10545/2
Surface Quality	Max. %5 Defective	Max. %5 Defective	TS EN ISO 10545/2
Water Absorbtion	Max. %0,5	Max. %0,5	TS EN ISO 10545/3
Modulus of Rupture	Min. 51 N/mm2	Min. 51 N/mm2	TS EN ISO 10545/4
Impact Resistance	Resistant	Resistant	TS EN ISO 10545/5
Surface Abrasion Class	As Declared	As Declared	TS EN ISO 10545/7
Lineer Thermal Expansion Coefficient	max. 9X10 ⁻⁴ K ⁻¹	As Declared	TS EN ISO 10545/8
Thermal Shock	Resistant	Resistant	TS EN ISO 10545/9
Cracking Resistance	Resistant	Resistant	TS EN ISO 10545/11
Frost Resistance	Resistant	Resistant	TS EN ISO 10545/12
Resistance to Staining	Min. Class 3	Min. Class 3	TS EN ISO 10545/14
Resistance to Acids / Alcalis	Min. Class LB - HB	Min. Class LB - HB	TS EN ISO 10545/13
Resistance to Household Chem.	Min. Class B	Min. Class B	TS EN ISO 10545/13

Packing Information

PRODUCT			BOX			PALLET		
SIZE	CLASS	THICKNESS	PCS	SQM SQFT	KG LBS	BOX PCS	SQM SQFT	GROSS KG GROSS LBS
60 x 120 24x48"	Glazed Porcelain	7 mm 0.27"	3	2,16 23.25	36 79.38	30	64,80 697.50	1.121 2,471
30 x 120 12x48"	Glazed Porcelain	7 mm 0.27"	5	1,8 19.37	27 59.52	40	72 775	1.112 2,452
20 x 120 8x48"	Glazed Porcelain	7 mm 0.27"	8	1.92 15.50	32 66.14	36	69,12 558	1.200 2,249
60 x 60 24x24"	Glazed Porcelain	7 mm 0.27"	6	2,16 23.25	35,1 77.38	30	64,80 697.50	1.093 2,410
120 x 120 48x48"	Glazed Porcelain	9.5 mm 0.37"	2	2.88 31	66 145.53	20	57,6 620.01	1.388 3,060
100 x 100 40x40"	Glazed Porcelain	8 mm 0.31"	2	2 21.52	37 81.57	30	60 645.83	1.140 2,513
80 x 80 32x32"	Glazed Porcelain	9,5 mm 0.37"	2	1,28 13.78	29 63.93	40	51,20 551.11	1.180 2,601
40 x 120 16x48"	Wall Tile	7 mm 0.27"	4	1,92 20.67	26 57.32	28	53,76 578.67	753 1,660
40 x 120 16x48"	Wall Tile Decofon	8 mm 0.31"	4	1,92 20.67	28 61.73	25	48 516.67	725 1,598
30 x 90 12x36"	Wall Tile	7 mm 0.27"	7	1,89 20.34	24 52.91	65	122,85 1322.35	1,580 3,483
30 x 90 12x36"	Wall Tile Decofon	8 mm 0.31"	6	1,62 17.44	22 48.50	65	105,30 1133.44	1,450 3,196
30 x 60 12x24"	Wall Tile	7 mm 0.27"	9	1,62 17.43	21 46.3	60	97,2 1046.25	1,280 2,822
30 x 60 12x24"	Wall Tile Decofon	8 mm 0.31"	8	1,44 15.50	21 46.3	60	86,40 930	1,280 2,822
120 x 180 48x72"	Glazed Porcelain	8 mm 0.31"	3	2,13 22.92	119,34 263.1	-	57,51 619	1180 2601
80 x 80 32x32"	Glazed Porcelain	20 mm 0.78"	2	1,28 13.77	60 132.3	18	23,04 248	1100 2425
60 x 120 24x48"	Glazed Porcelain	20 mm 0.78"	2	1,44 15.50	65 143.3	16	23,04 248	1070 2359
30 x 120 12x48"	Glazed Porcelain	20 mm 0.78"	2	0,72 7.75	32,5 71.65	32	23,04 248	1055 2326
60 x 60 24x24"	Glazed Porcelain	20 mm 0.78"	2	0,72 7.75	31,2 68.78	32	23,04 248	1050 2315
60 x 90 24x36"	Glazed Porcelain	20 mm 0.78"	2	1,08 11.62	48 105.8	20	21,6 232.50	975 2354


QUA



.....2016.....

Factory Build in Aydın 2016

19.000 sqm per day
5.5M sqm per year



.....2017.....

Production increased

38.000 sqm per day
11M sqm per year

20 mm thick
technical granite
production started

6,5mm

.....2019.....


We produced Turkey's
first 6,5mm thick tile.



.....2021.....

Qua granite was offered
to the public with the
share code "QUAGR" in
the BIST Star index.

New production lines
started to build.



.....2022.....

New production lines
were put in to action.

157.000 sqm per day
41M sqm per year



.....2023.....

Our first Sustainability Report has
been published.

We have been included in the
Borsa Istanbul Sustainability
Index.

With a Sustainability Score of
84/100, we ranked 6th among
184 companies worldwide.



.....2025.....

The 150,000 m² Solar Power
Plant (SPP) investment has
been completed.

We have reached a technical
granite production capacity of
50 million sqm.

Qua Granite

Qua Granite is the world's largest technical granite
producer under one roof, with a capacity of

50 million m²



INDEX

01

Stone & Concrete Collections

8	ARK
14	CALDERA
16	CHALKY
18	CHOICE
20	CIPOLLINO
24	LAGOM
28	LUNA
32	MELDEN
34	MERCAN
36	ROYAL TRAVERTINE
38	TRAVERTINO

02

Marble Collections

44	ALPI
46	ARMANI
48	BIANCO RIVER
50	CALACATTA
52	CALACATTA GOLDIE
54	CANYON
58	GAIOS
60	GINZA
64	HIELO
66	LAVE
68	MARFIL ROSSO
70	MARGINAL
72	MARTINS MARBLE
76	MILANO
78	PULPIS
84	SHANTI
86	SOMBRA BLACK
88	SPACE
92	STATUARIO
94	SUN ONYX
96	VENATO ONICE

03

Wood Collections

102	CAPRI
104	HERRINGBONE
106	AMAZONICA
110	CHELSEA
114	DIAMOND
118	HARDY
122	NOVILON
126	PRESTIGE
130	TREND WOOD

04

Outdoor Collections

136	ARK
140	BENELUX
144	DAKOTA
148	GRAVA
152	GROVAK
154	LUNA
158	NORDSTONE
160	ONDA
164	RASA
168	STARK
170	TERRAZZO
172	TRAVERTINE

01

SECTION

8	ARK
14	CALDERA
16	CHALKY
18	CHOICE
20	CIPOLLINO
24	LAGOM
28	LUNA
32	MELDEN
34	MERCAN
36	ROYAL TRAVERTINE
38	TRAVERTINO



STONE &
CONCRETE
COLLECTIONS

ARK

GLAZED PORCELAIN



MATT



LAPPATO



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN



RECTIFIED

100x100 / 40"x40"

120x120 / 48"x48"

80x80 / 32"x32"

30x120 / 12"x48"

60x120 / 24"x48"

60x60 / 24"x24"

* Please ask if color is available for the size.





ARK

WALL TILE

M

MATT



WALL USAGE



EASY CLEAN


NON
REC

NON-RECTIFIED

REC

RECTIFIED

30x90 / 12"x36"



White




Ivory



Silver



Anthracite



Black



CALDERA

GLAZED PORCELAIN

- FL
FULL LAPPATO
- L
LAPPATO
- M
MATT
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN

60x120 / 24"x48"

60x60 / 24"x24"



Latte




CHALKY

GLAZED PORCELAIN

- M
MATT
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN

60x120 / 24"x48"



CHOICE

GLAZED PORCELAIN

- M
MATT
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN

60x120 / 24"x48"

60x60 / 24"x24"



CIPOLLINO

GLAZED PORCELAIN

- M
MATT
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN
- SPECIAL
SURFACE

60x120 / 24"x48"





CIPOLLINO
GLAZED PORCELAIN

LAGOM

GLAZED PORCELAIN

L

M

REC










LAPATO
MATT
RECTIFIED
WALL USAGE
FLOOR USAGE
FROST
RESISTANCE
EASY CLEAN

60x120 / 24"x48"

60x60 / 24"x24"

* Please ask if color is available for the size.





LUNA

GLAZED PORCELAIN



30x120 / 12"x48"

30x60 / 12"x24"

60x120 / 24"x48"

60x60 / 24"x24"

* Please ask if color is available for the size.





LUNA
GLAZED PORCELAIN

MELDEN

GLAZED PORCELAIN

- M
MATT
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN

60x120 / 24"x48"



MERCAN

GLAZED PORCELAIN

FL

FULL LAPATO

L

LAPATO

REC

RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN



60x120/24"x48"

ROYAL TRAVERTINE

GLAZED PORCELAIN



MATT



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN


60x120 / 24"x48"



TRAVERTINO

GLAZED PORCELAIN

- L
LAPATO
- M
MATT
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN



* Please ask if color is available for the size.






TRAVERTINO

GLAZED PORCELAIN

02

SECTION

44	ALPI
46	ARMANI
48	BIANCO RIVER
50	CALACATTA
52	CALACATTA GOLDIE
54	CANYON
58	GAIOS
60	GINZA
64	HIELO
66	LAVE
68	MARFIL ROSSO
70	MARGINAL
72	MARTINS MARBLE
76	MILANO
78	PULPIS
84	SHANTI
86	SOMBRA BLACK
88	SPACE
92	STATUARIO
94	SUN ONYX
96	VENATO ONICE



MARBLE
COLLECTIONS

- FL

FULL LAPPATO
- REC

RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST RESISTANCE
- EASY CLEAN

60x120 / 24"x48"



ARMANI

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN

60x120 / 24"x48"



BIANCO RIVER

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN

60x120 / 24"x48"

60x60 / 24"x24"


30x60 / 12"x24"



CALACATTA

GLAZED PORCELAIN

- FL
FULL LAPPATO
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN



CALACATTA GOLDIE

GLAZED PORCELAIN

FL

REC









FULL LAPPATO

RECTIFIED


WALL USAGE

FLOOR USAGE

FROST RESISTANCE

EASY CLEAN

60x120 / 24"x48"



CANYON

GLAZED PORCELAIN

- 

FL
FULL LAPPATO
- 


REC
RECTIFIED
- 

WALL USAGE
- 

FLOOR USAGE
- 

FROST
RESISTANCE
- 

EASY CLEAN





CANYON
GLAZED PORCELAIN

GAIOS

GLAZED PORCELAIN

FL

FULL LAPATO

REC

RECTIFIED

WALL USAGE

FLOOR USAGE

FROST RESISTANCE

EASY CLEAN

60x120 / 24"x48"

60x60 / 24"x24"

30x60 / 12"x24"



60x120/24"x48"



GINZA

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN

60x120 / 24"x48"





HIELO

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE




FROST
RESISTANCE



EASY CLEAN

60x120 / 24"x48"



LIGHT

DARK





60x120/24"x48"



BLANCHE



DORE

LAVE

GLAZED PORCELAIN

- FL
FULL LAPATO
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN

MARFIL ROSSO

GLAZED PORCELAIN

- FL

FULL LAPPATO
- REC

RECTIFIED
- 

WALL USAGE
- 

FLOOR USAGE
- 

FROST RESISTANCE
- 

EASY CLEAN


60x120 / 24"x48"




MARGINAL

GLAZED PORCELAIN

- FL
FULL LAPPATO
- M
MATT
- REC
RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN



60x120 / 24"x48"



MARTINS MARBLE

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE




FROST
RESISTANCE



EASY CLEAN

60x120 / 24"x48"

60x60 / 24"x24"



DARK

LIGHT





MARTINS MARBLE
GLAZED PORCELAIN

MILANO

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN

60x120 / 24"x48"



MARFIL

PERLA



PULPIS

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN

30x60 / 12"x24"

100x100 / 40"x40"
120x120 / 48"x48"

60x120 / 24"x48"

60x60 / 24"x24"

GREY

NERO



PULPIS
GLAZED PORCELAIN

PULPIS

GLAZED PORCELAIN

FL

FULL LAPPIATO

REC

RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN

60x120 / 24"x48"

60x60 / 24"x24"

SAND

SHANTI

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN

60x120 / 24"x48"




SOMBRA BLACK

GLAZED PORCELAIN

- FL

FULL LAPPATO
- REC

RECTIFIED
- WALL USAGE
- FLOOR USAGE
- FROST RESISTANCE
- EASY CLEAN



SPACE

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN

30x60 / 12"x24"

60x120 / 24"x48"

60x60 / 24"x24"

ANTHRACITE


GREY



SPACE
GLAZED PORCELAIN

STATUARIO

GLAZED PORCELAIN



SUN ONYX

GLAZED PORCELAIN



FULL LAPPATO



RECTIFIED



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN



60x120/24"x48"



VENATO ONICE

GLAZED PORCELAIN



BEIGE



GRIS



VENATO ONICE

GLAZED PORCELAIN

04

SECTION

- 102 CAPRI
- 104 HERRINGBONE
- 106 AMAZONICA
- 110 CHELSEA
- 114 DIAMOND
- 118 HARDY
- 122 NOVILON
- 126 PRESTIGE
- 130 TREND WOOD



WOOD
COLLECTIONS

CAPRI

GLAZED PORCELAIN



MATT



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN



RECTIFIED

60x120 / 24"x48"



HERRINGBONE

GLAZED PORCELAIN

M

WALL USAGE

FLOOR USAGE

FLOOR USAGE

FROST RESISTANCE

FROST RESISTANCE

EASY CLEAN

EASY CLEAN

REC

RECTIFIED

60x120 / 24"x48"



AMAZONICA

GLAZED PORCELAIN




BIANCO



CREMA



GRIGIO



NATURAL



15x60

6"x24"





AMAZONICA
GLAZED PORCELAIN

CHELSEA

GLAZED PORCELAIN

- M
MATT
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN
- REC
RECTIFIED

OLIVA

WHITE OAK

20x120
8"x48"





CHELSEA
GLAZED PORCELAIN

DIAMOND

GLAZED PORCELAIN

M

WALL USAGE

FLOOR USAGE

FLOOR USAGE

FROST RESISTANCE

FROST RESISTANCE

EASY CLEAN

EASY CLEAN

RECTIFIED

RECTIFIED

MAPLE



HONEY



CHESTNUT



20x120
8"x48"



DIAMOND
GLAZED PORCELAIN



HARDY

GLAZED PORCELAIN

M

MATT

Hand icon

WALL USAGE

Foot icon

FLOOR USAGE

Snowflake icon

FROST RESISTANCE

Hand cleaning icon

EASY CLEAN

REC

RECTIFIED

ARCE

GREY

NATURAL

NOGAL

20x120
8"x48"

15x60
6"x24"



HARDY
GLAZED PORCELAIN

NOVILON

GLAZED PORCELAIN

M

MATT

WALL USAGE

FLOOR USAGE

FROST RESISTANCE

EASY CLEAN

REC

RECTIFIED

GRIS



MIELE



PINE



RED OAK



TAUPE



20x120
8"x48"





NOVILON
GLAZED PORCELAIN

PRESTIGE

GLAZED PORCELAIN



MATT



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



EASY CLEAN



RECTIFIED

WALNUT



MIELE



NOCE



CARMEL



20x120
8"x48"





PRESTIGE
GLAZED PORCELAIN

TREND WOOD

GLAZED PORCELAIN

- M
MATT
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- EASY CLEAN
- REC
RECTIFIED

GREIGE



NATURAL



OAK



20x120
8"x48"





TREND WOOD
GLAZED PORCELAIN

05


SECTION

- 136 ARK
- 140 BENELUX
- 144 DAKOTA
- 148 GRAVA
- 152 GROVAK
- 154 LUNA
- 158 NORDSTONE
- 160 ONDA
- 164 RASA
- 168 STARK
- 170 TERRAZZO
- 172 TRAVERTINE


20MM
THICKNESS

OUTDOOR COLLECTIONS

Our Outdoor Ceramic Solutions not only provide flooring solutions but also extend to walls, pools, and even stairs. The 20mm line has no limits and offers versatility for various applications.



- 1. Path
- 2. Terrace
- 3. Pool
- 4. Skirting
- 5. Wall
- 6. Focus
- 7. Cover
- 8. Steps
- 9. Edge
- 10. Indoor floor
- 11. Parking



* Please ask if color is available for the size.





BENELUX

GLAZED PORCELAIN

20MM
THICKNESS

- M
MATT
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- R11
ANTI SLIP
VALUE
- REC
RECTIFIED

80x80 / 32"x32"

60x60 / 24"x24"

* Please ask if color is available for the size.






BENELUX
GLAZED PORCELAIN

DAKOTA

GLAZED PORCELAIN

20MM
THICKNESS



* Please ask if color is available for the size.





DAKOTA
GLAZED PORCELAIN

GRAVA

GLAZED PORCELAIN



MATT



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



R11
ANTI SLIP
VALUE



RECTIFIED

20MM
THICKNESS

60x120 / 24"x48"

60x60 / 24"x24"





GRAVA
GLAZED PORCELAIN

GROVAK

GLAZED PORCELAIN

20MM
THICKNESS

- M
MATT
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- R11
ANTI SLIP
VALUE
- REC
RECTIFIED

60x120 / 24"x48"

60x90 / 24"x36"

60x60 / 24"x24"



LUNA

GLAZED PORCELAIN

M

WALL USAGE

F

FLOOR USAGE

S


FROST RESISTANCE

R11

ANTI SLIP VALUE

REC

RECTIFIED



* Please ask if color is available for the size.





LUNA
GLAZED PORCELAIN

NORDSTONE

GLAZED PORCELAIN

20MM
THICKNESS

- M
MATT
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- R11
ANTI SLIP
VALUE
- REC
RECTIFIED

60x90 / 24"x36"

60x60 / 24"x24"



ONDA

GLAZED PORCELAIN

20MM
THICKNESS

- M
MATT
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- R11
ANTI SLIP
VALUE
- REC
RECTIFIED

60x120 / 24"x48"





ONDA
GLAZED PORCELAIN

RASA

GLAZED PORCELAIN

20MM
THICKNESS



MATT



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



R11
ANTI SLIP
VALUE



RECTIFIED

80x80 / 32"x32"

60x90 / 24"x36"

60x60 / 24"x24"



WHITE



BEIGE



GRIGIO



NERO





RASA
GLAZED PORCELAIN

STARK

GLAZED PORCELAIN

20MM
THICKNESS



MATT



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



R11
ANTI SLIP
VALUE




RECTIFIED

60x120 / 24"x48"

60x90 / 24"x36"

60x60 / 24"x24"



GRAPHITE



GREY



SMOKE



TAUPE



TERRAZZO

GLAZED PORCELAIN

20MM
THICKNESS



MATT



WALL USAGE



FLOOR USAGE



FROST
RESISTANCE



R11
ANTI SLIP
VALUE




RECTIFIED


60x120 / 24"x48"

60x90 / 24"x36"

60x60 / 24"x24"



CREAM



GRIGIO



LIGHT




TRAVERTINE

GLAZED PORCELAIN

20MM
THICKNESS

- M
MATT
- WALL USAGE
- FLOOR USAGE
- FROST
RESISTANCE
- R11
ANTI SLIP
VALUE
- REC
RECTIFIED





TRAVERTINE

GLAZED PORCELAIN

QUA